



***Pullman
Ermator***

DUST & SLURRY MANAGEMENT CATALOG 2018

Important Information

AVAILABILITY

The type style of the item number in each specification chart is used to show which sizes and specifications are available.

- Bold print indicates the item is a stock item. These items are generally available for immediate shipment from stock.
- Regular print indicates the item may not be in stock. These items may not be available for immediate shipment.
- The (-) symbol indicates the item is a special order and needs to be ordered through contacting customer service.
- All prices, specifications and designs are subject to change without notice.
- All prices are in U.S. dollars.

NET HORSEPOWER STATEMENT

The power rating of the engine indicated in this document is the net power output tested on a production engine for the engine model and measured in accordance with SAE j1349 at 3600 rpm. Mass production engines may vary from this value. Actual power output for the engine installed in the final machine will vary depending on numerous factors, including the operating speed of the engine in application, environmental conditions, maintenance and other variables.

PAYMENT TERMS

2% cash discount is allowed if paid within 10 days of the invoice date. Invoices dated the 1st through the 15th are due on the 10th of the following month. Invoices dated the 16th through the last day of the month are due the 25th of the following month. A service charge of 1-1/2% per month (18% annual) is added to past due amounts.

TERMS

All prices, specifications and designs are subject to change without notice. All prices are in U.S. dollars. Sales tax will be charged where applicable unless a tax exemption certificate is provided.

\$100.00 minimum net order (excl. freight and taxes) is applicable as follows:

- | | |
|------------|-----------|
| YES | Equipment |
| NO | Parts |

FREIGHT POLICY

Equipment - Freight is paid (ground shipment) to one location within the continental United States by the carrier of shipper's choice for three (3) pieces of equipment shipped of reasonable or equal value.

Parts, accessories, displays, misc. items including wire brushes - Freight is prepaid by the shipper and added to the invoice.

Drop shipments - Distributor drop shipments into states other than their primary business location will incur freight charges. Drop shipments to a residence may incur an additional handling charge.

NOTE: Customer requesting priority or air freight shipments will have prepaid freight and handling charges added to the invoice. Freight terms apply for shipments within the 48 contiguous states. Please inquire for freight terms for shipments to Alaska, Hawaii, and Puerto Rico. All shipments are considered FOB shipping point unless otherwise specified.

Freight Claims - Pullman Ermator utilizes heavy-duty packaging designed to protect its products under normal shipping conditions. If, despite our precautions, product is received in damaged condition, the consignee (customer) should immediately upon receipt, file a claim with the delivering freight carrier. If further assistance is required, contact the Pullman Ermator Customer Service Department at 800-237-7582.

GOLD MEDAL EQUIPMENT WARRANTY

New equipment sold by Pullman Ermator is warranted to be free from manufacturing defects in normal service for a period of one* or two** year from date of purchase by the original consumer purchaser. Component manufacturers offer separate warranty periods. Call Technical Services at 800-365-5040 for complete information.

Pullman Ermator's obligation under this warranty is expressly limited to the replacement or repair at Pullman Ermator, or at a service facility designated by us, of such part or parts as inspection shall disclose to have been defective.

This warranty does not apply to defects caused by damage, unreasonable use, faulty repairs made by others or defects caused by failure to provide reasonable maintenance, while in the possession of the consumer. Further, the warranty is void if the product, or any of its components, is altered or modified by the consumer or if the product is used in an inappropriate manner or with cutting equipment not recommended by the manufacturer.

*One Year

Tool trigger HEPA vacuums
HEPA drum vacuums
HEPA dry vacuums
Wet vacuums
Canister vacuums

**Two Year

Air scrubbers
T-Line models
S-Line models
Pre-separator models
W-Line models

Wear items are not covered under warranty.

Belts	Bearings**	Cart wheels	Filters
Wheels***	Wear pads	Spark plugs	

** Except IntelliSeal System

***Except delamination

TRIAL POLICY

Purchase orders are requested and full payment is expected on all trial materials. Trials will be invoiced on the basis of normal ordering quantity that the customer is expected to purchase if the trial is successful. Order must specify the exact number normally purchased and be invoiced on that basis. Trials proving only partially satisfactory, but usable, will be credited on the basis of the value received. Trials proving completely unsatisfactory receive full credit. The efficiency of the trial performance is the decision of the customer.


PUT DUST IN ITS PLACE!

The construction industry as a whole has become increasingly aware of dust suppression in the work place — and not only due to the enforcement of stricter regulations. When tools and equipment are outfitted with dust containment devices, work sites stay cleaner, operators stay safer and the contractor saves time and money. it's a win-win for contractors, operators and the enviroment.



Range Overview

Pullman Ermator's range of equipment for dust and slurry management covers all needs and applications within the construction, abatement and restoration industries. Our products range from heavy-duty dust extractors to wet vacuums and air scrubbers to complete the setup for maximum workplace safety.



What makes our HEPA dust extractors safer and more efficient?

All Pullman Ermator HEPA dust extractors include three design features that promote safety while increasing productivity.

1. INDIVIDUALLY TESTED AND CERTIFIED HEPA FILTERS


Each HEPA filter is individually tested to have a minimum efficiency of 99.99% @ 0.3 microns based on the application airflow rate of the extractor.

2. JET PULSE

Unique filter cleaning system efficiently purges the pre-filter to maintain airflow, without opening the vacuum and creating a dust hazard.

3. DROP DOWN DUSTLESS DISPOSAL

Direct disposal into a single, 11-gallon plastic recovery/disposal bag or a 72 foot Longopac® bag. Longopac bags allow disposal into approximately 25 individually sealed bags, depending on a comfortable weight for transfer and handling.



*NOTE ON WORK AREA
Please note. Work area calculation based on a ceiling height of 10ft (2.5 m).

At 6 air changes/h
At 10 air changes/h



Pullman Ermator T-Line (480 CFM and above)

Applications

- Large-scale construction, abatement or restoration projects that demand substantial dust extraction.
- Grinding dust and demolition materials in a wide variety of applications.

Benefits

- Three separate filtering stages collect dust from the heaviest to the finest dust particles.
- Individually tested and certified HEPA filters rated at 99.99% @ 0.3 microns.
- Longopac® bag hose system ensures simple and safe dust bag changes.
- Jet pulse filter cleaning system ensures high continuous airflow due to easy and efficient cleaning of main filter without opening the machine.



	T 18000	T 15000	T 10000
Item No.	967751501	967765801	967766001
List price	\$15,667.00	\$16,000.00	\$13,036.00

Technical specifications

Power, hp (kW)	24.1 (18)	21.5 (16)	16.9 (12.6)
Voltage, V	480	230	480
Max rated current, A	28	42	21
Power Supply	3-phase	3-phase	3-phase
Distribution box	Yes	No	Yes
Airflow, CFM	710	647	480
Water lift, in	140	140	120
Max vacuum, kPa	30	30	28
Suction inlet diameter, in (mm)	4 (100)	4 (100)	3 (76)
Number of HEPA 13 filters*	4	4	3
Dimensions (LxWxH), in (mm)	55 x 31 x 71 (1,400 x 788 x 1,840)	55 x 31 x 71 (1,400 x 788 x 1,840)	55 x 29 x 68 (1,400 x 736 x 1,727)
Weight, lbs (kg)	900 (408)	900 (408)	740 (336)
RECOMMENDED EQUIPMENT	60" grinders or 2 3-head (32") grinders, shavers, shot blasters	4-head grinder or 2 3-head grinder, shavers, shot blasters	3-head grinder, shavers, shot blasters

*NOTE: Every single HEPA filter is individually tested and certified at filtration rate 99.99% at 0.3 microns.

Includes 3", 33' hose and 4" female x 2 x 3" male camlock Y-pipe.

Includes 3", 33' hose and 4" female x 2 x 3" male camlock Y-pipe.

Includes 3", 33' hose and complete floor tool kit including 2", 25' crushproof hose, wand and floor tool, 50 amp distribution box. Female and male 3" to 2" camlock reducers.

RECOMMENDED EQUIPMENT



Pullman Ermator T-Line (410 CFM and below)

Applications

- Large-scale construction, abatement or restoration projects that demand substantial dust extraction.
- Grinding dust and demolition materials in a wide variety of applications.

Benefits

- Three separate filtering stages collect dust from the heaviest to the finest dust particles.
- Individually tested and certified HEPA filters rated at 99.99% @ 0.3 microns.
- Longopac® bag hose system ensures simple and safe dust bag changes.
- Jet pulse filter cleaning system ensures high continuous airflow due to easy and efficient cleaning of main filter without opening the machine.



	T 8600	T 8600 P	T 7500
Item No.	967733001	967734001	967732901
List price	\$10,699.00	\$13,000.00	\$11,100.00
Item No. (100 amp dist. box)			967734101
List Price			\$12,505.00

Technical specifications

Power, HP (kW)	11.5 (8.6)	18.0 (14)	101 (7.5)
Voltage, V	480	N/A	230
Max rated current, A	11.9	N/A	24.2
Power Supply	3-phase	Kawasaki, Propane	3-phase
Distribution box	Yes	N/A	Yes
Airflow, CFM	353	410	353
Water lift, in	110	115	110
Max vacuum, kPa	28	29	28
Suction inlet diameter, in (mm)	3 (76)	3 (76)	3 (76)
Number of HEPA 13 filter*	2	2	2
Dimensions (LxWxH), in (mm)	49 x 27 x 69 (1,245 x 686 x 1,753)	49 x 27 x 69 (1,245 x 686 x 1,753)	49 x 27 x 69 (1,245 x 686 x 1,753)
Weight, lbs (kg)	454 (206)	628 (285)	454 (206)
RECOMMENDED EQUIPMENT	3 head grinder	Propane grinders, propane saws	central vacuum, all types of floor grinders

*NOTE: Every single HEPA filter is individually tested and certified at filtration rate 99.99% at 0.3 microns.

Includes 3", 33' hose and complete floor tool kit including 2", 25' crushproof hose, wand and floor tool. Female and male 3" to 2" camlock reducer.

Includes 3", 33' hose and complete floor tool kit including 2", 25' hose, wand and floor tool. Female and male 3" to 2" camlock reducer.

Includes 3", 33' hose and complete floor tool kit including 2", 25' hose, wand and floor tool. Female and male 3" to 2" camlock reducer.

RECOMMENDED EQUIPMENT



Pullman Ermator T-Line Parts and Accessories

			T 18000	T 15000	T 10000	T 8600	T 8600 P	T 7500
Adapter, camlock (3" - 2")	590436501	\$130.00			x	x	x	x
Adapter, Y-pipe 4"-3"-3"	590429101	138.00	x	x				
Bag, Longopack (4 pk)	590429201	132.00	x	x	x	x	x	x
Camlock, 3" aluminum (female)	590428701	43.00			x	x	x	x
HEPA filter, H13 DOP Tested	590429701	227.00	x	x	x	x	x	x
Hose assembly, 2" (25' long)	590428101	149.20			x	x	x	x
Hose assembly 3" (33' long)	590437001	489.00	x	x	x	x	x	x
Hose, end	590438101	6.00			x	x	x	x
Filter, sock assembly	590438701	1,100.00	x	x				
Filter, sock assembly	590438801	999.00				x	x	x
Filter, sock assembly	590438601	1,060.00			x			
Floor tool, 2" x 18"	590428302	64.00			x	x	x	x
Floor tool, blade set 18"	590428502	10.00			x	x	x	x
Plug-to-power, 100 amp	590436201	865.00						x
Plug-to-grinder, 100 AMP	590436401	672.00						x
Plug-to-power, 50 AMP	590436202	198.00			x	x		
Plug-to-grinder, 50 AMP	590436402	149.00			x	x		
Plug-to-power, 60 AMP	590436203	620.00	x					
Plug-to-grinder, 60 AMP	590436403	535.00	x					
Silencer, drum	590429601	1,009.80	x	x				
Trailer, large vacuum	590433302	605.00				x		x
Trailer, T 10000 vacuum	590433301	605.00			x			
Wand tool, 2-part (50 mm diameter)	590829401	63.00			x	x	x	x



Camlock Adapter



Y-pipe Adapter



Longopac Bags



Camlock 3" Aluminum



HEPA Filter T-Line



2" Hose Assembly



3" Hose Assembly



Hose End



Main Filter Stock



Filter Stock Assembly



Floor Tool



Blade Set 18"



Plug-to-power, 50 AMP



Plug-to-grinder, 50 AMP



Plug-to-power, 60 AMP



Plug-to-grinder, 60 AMP



Silencer, drum



*Trailer, Large Vac
(T10000)*



*Trailer, Large Vac
(T 8600 & T 7500)*



Wand Tool, 2-part

Pullman Ermator S-Line (285 CFM and above)

Applications

- 1-phase machines for all construction, abatement and restoration jobs, as well as electric power tools.

Benefits

- Three separate filtering stages.
- Jet Pulse cleaning of the conical main filter ensures dust is continuously collected throughout the day.
- Longopac® collecting bag enables the machine to be emptied quickly and simply.
- Individually tested and certified HEPA filters rated at 99.99% @0.3 micron.
- S 36 50A unit features tool trigger which allows vacuum to be turned off and on with use of attached tool.



	S 36 230V 50A	S 36 120V	S 36 Propane
Item No.	967818001	967720201	967760101
List price	\$4,600.00	\$4,366.00	\$9,800.00

Technical specifications

Power, HP (kW)	4.8 (3.5)	3.2 (2.4)	11 (8.2)
Voltage, V	230	120	-
Max rated current, A	15.7	20.0	-
Power Supply	1-phase	1-phase	Propane
Distribution box	Yes	No	No
Airflow, CFM	353	285	285
Water lift, in	100	80	125
Max vacuum, kPa	28	22	-
Suction inlet diameter, in (mm)	2 (51)	2 (51)	2 (51)
Number of HEPA 13 filters*	3	3	2
Dimensions (LxWxH), in (mm)	33 x 24.5 x 60 (840 x 620 x 1,500)	33 x 24.5 x 60 (840 x 620 x 1,500)	33 x 24.5 x 60 (840 x 620 x 1,500)
Weight, lbs (kg)	140 (64)	140 (64)	190 (86)
RECOMMENDED EQUIPMENT	medium grinders, core drills, power cutters, handheld power tools	medium grinders, core drills, power cutters, handheld power tools	propane saws and equipment

*NOTE: Every single HEPA filter is individually tested and certified at filtration rate 99.99% at 0.3 microns.

*Includes 2" x 25' hose, 2.5" x 33' hose,
wand and floor tool.*

*Includes 2" x 25' hose, 2.5" x 33' hose,
wand and floor tool.*

*Includes 2" x 25' and 2.5" hose, floor
tool, wand, battery and propane tank.*

RECOMMENDED EQUIPMENT



Pullman Ermator S-Line (258 CFM and below)

Applications

- 1-phase machines for all construction, abatement and restoration jobs, as well as electric power tools.

Benefits

- Three separate filtering stages.
- Jet Pulse cleaning of the conical main filter ensures dust is continuously collected throughout the day.
- Longopac® collecting bag enables the machine to be emptied quickly and simply.
- Individually tested and certified HEPA filters rated at 99.99% @0.3 micron.



	S 26 230V	S 26 120V	S 13 120V
Item No.	967755701	967755601	967754701
List price	\$2,499.00	\$2,499.00	\$1,329.00

Technical specifications

Power, HP (kW)	3.4 (2.5)	3.2 (2.4)	1.6 (1.2)
Voltage, V	230	120	120
Max rated current, A	9.8	20.0	10.0
Power Supply	1-phase	1-phase	1-phase
Distribution box	No	No	No
Airflow, CFM	258	258	129
Water lift, in	100	100	100
Max vacuum, kPa	22	24	24
Suction inlet diameter, in (mm)	2 (51)	2 (51)	1.5 (38)
Number of HEPA 13 filters*	2	2	1
Dimensions (LxWxH), in (mm)	26x21.5x50.2 (756x546x1275)	26x21.5x50.2 (756x546x1275)	26x15.8x43.3 (680x400x1100)
Weight, lbs (kg)	105 (48)	105 (48)	66 (30)
RECOMMENDED EQUIPMENT	small grinders, core drilling, power cutters, handheld power tools	small grinders, core drilling, power cutters, handheld power tools	small grinders, core drilling, power cutters, handheld power tools

*NOTE: Every single HEPA filter is individually tested and certified at filtration rate 99.99% at 0.3 microns.

Includes 2" x 25' hose, wand and floor tool

Includes 2" x 25' hose, wand and floor tool

Includes 1.5", 13.5' hose, wand and floor tool along with a 6 mil, 4-gal disposable poly bag.

RECOMMENDED EQUIPMENT



Pullman Ermator S-Line Parts and Accessories

			S 36	S 36 Propane	S 26	S 13
Adapter, complete	590428801	\$10.00				x
Adapter, complete	590428901	11.60	x	x	x	
Adapter, 2"-2.5" hose	590429001	13.90	x	x		
Adapter, 2.5"-2" hose	590437601	7.25	x	x		
Bag, Longopack (4 pk)	590429201	132.00	x	x	x	x
Bag, plastic 4 gal (25 pk)	591649701	35.75				x
Connector, straight	590429401	34.25	x	x		
Dust hood, 4-5" grinder	590651801	129.00			x	x
Dust hood, 7-9" grinder	590651802	159.00	x	x	x	
Dust shroud, 5"	590652301	199.00	x			
Dust shroud, 5" full	591267201	90.80	x	x	x	x
Dust shroud, 7"	590652302	189.00	x	x	x	
Dust shroud, 7" hand grinder	592034101	111.20	x	x	x	x
Filter	590397401	143.00				x
Floor tool, 1.5" x 14.5"	590428401	121.00				x
Floor tool, 2" x 18"	590428302	64.00	x	x	x	
Floor tool, blade set 14.5"	590428501	12.00				x
Floor tool, blade set 18"	590428502	10.00	x	x	x	
HEPA filter	590429801	94.00	x	x	x	x
Hose assembly, 1.5" (13.5' long)	590437201	101.00				x
Hose assembly, 2" (25' long)	590437301	115.00	x		x	
Hose assembly, 2.5" (33' long)	590437401	340.70	x	x		
Hose, end	590437501	4.50				x
Hose, end	590438101	6.00	x	x	x	
Hose kit, deluxe twin	590438401	282.55	x	x	x	x
Hose kit, metal y-pipe (2 x 2 x 2)	590438401	282.55	x	x	x	
Hose kit, plastic pipe (2 x 1.5 x 1.5)	591315101	188.70	x	x	x	
Hose kit, standard twin	591315101	188.70	x	x	x	x
Pre-filter, conical	590430201	184.00			x	
Pre-filter, conical	590430202	225.00	x	x		
Kit, Longopac upgrade	590398501	90.00				x
Trailer, medium vacuum	590433303	545.00	x	x		
Trailer, mini vacuum	590433304	505.00			x	
Wand tool, 2" piece 1.5"	590428601	32.00				x
Wand tool, 2-part (50 mm diameter)	590829401	63.00	x	x	x	



Longopac bags



5" Dust Shroud Kit



7" Dust Shroud



Rubber blades



Floor tool



HEPA filter



Hose kit, deluxe twin



Hose kit, standard twin

Pullman Ermator Pre-Separators

Applications

- Use when a large amount of dust will be produced.

Benefits

- Additional separation stage to capture as much dust as possible before it reaches the dust extractor.
- Increases efficiency in the separation of dust from the air stream, improves filter performance and significant reduction in the frequency of filter maintenance.
- Contributes to higher airflow, faster pick-up and extended motor life.
- Built-in vacuum equalizer for use with plastic bag (C 1300) or Longopac collection system (C 3000, C 5500).



	C 5500	C 3000	C 1300
Item No.	967735201	967730101	967747801
List price	\$1,887.00	\$1,015.00	\$697.00

Technical specifications

Weight, lbs (kg)	101 (46)	49 (22)	31 (14)
Volume, gal (l)	26 (98)	10 (38)	8.72 (33)
Dimensions L x W x D, in (mm)	21 x 28 x 56 (533 x 711 x 1422)	25 x 22 x 58 (635 x 559 x 1473)	16 x 19 x 33 (406 x 483 x 838)
RECOMMENDED EQUIPMENT	T-line extractors	S-line extractors	S-line extractors
	<i>Includes 3", 33' hose assembly</i>	<i>Includes 2.5", 8' hose assembly</i>	<i>Includes 2", 8' hose assembly</i>

Pre-Separator Parts and Accessories

			C 5500	C 3000	C 1300
Adapter, camlock (3" - 2")	590436501	\$90.00	x		
Bag, 11 gal plastic (25 pk)	591649901	50.45			x
Bag, Longopack (4 pk)	590429201	132.00	x	x	
Camlock, 3" aluminum (female)	590428701	43.00	x		
Deluxe drum pre-separator assembly with 4" reducer	590652601	1,115.00	x		
Drum, pre-separator assembly	590651601	1,015.00		x	
Hose assembly, 2" (8' long)	590436701	73.55		x	x
Hose assembly, 3" (33' long)	590437001	489.00	x		
Wheel, Bar w/ wheels (2 pcs)	590432901	89.95	x		



Drum pre-separator assembly



Deluxe drum pre-separator assembly

Pullman Ermator W-Line

Applications

- Toughest jobs a slurry vacuum can handle.
- Manage liquids such as concrete slurry, oils and machining coolants.

Benefits

- Integral stainless steel strainer screens gravel from the slurry to protect the pump impeller.
- Patented filter/float system provides maximum airflow and reliable wet shut-off in case of overflow.
- Powerful evacuation pump is capable of pumping the slurry 33 ft vertically or 656 ft horizontally.



**Includes 1.5", 10' hose, 3 piece wand and floor tool.*

W 70 P

Item No.	967758401
List price	\$2,500.00

Technical specifications

Power, HP (kW)	1.6 (1.2)
Voltage, V	120
Max rated current, A	16.7 (10A vacuum and 6.7A for pump)
Power Supply	1-phase
Airflow, CFM	118
Vac water lift, in	90
Pump waterlift, ft	30
Pump discharge, gal/min	63
Dimensions (LxWxH), in (mm)	24 x 22 x 49 (600 x 570 x 1,250)
Weight, lbs (kg)	99 (45)
RECOMMENDED EQUIPMENT	wall saws, wire saws, flat saws, core drill motors, power cutters, masonry saws and tile saws

W-Line Parts and Accessories

Adapter, complete	590428801	\$10.00
Crevice tool	590428201	4.00
Hose, end	590437501	4.50
Hose kit	590427901	40.00
Filter bag, wet/dry 5pk (720 x 580)	591365601	53.00
Filter bag, wet 5 pk (720 x 580)	591365501	53.00
Filter, HEPA replacement	592061401	115.00
Filter, polyester	590438901	51.00
Floor tool, 1.5" x 14.5"	590428401	121.00
Floor tool, blade set 14.5"	590428501	12.00
Pump, 106W 120V	590469701	1,130.00
Wand tool, 2" piece 1.5"	590428601	32.00

RECOMMENDED EQUIPMENT



Pullman Ermator A-Line

Applications

- Ideal complement to dust and slurry management equipment as well as in other applications where the air quality is essential.
- Removes mold, bacteria and allergens.
- Can be used as a negative air machine.

Benefits

- Powerful, super-quiet two-speed motor is capable of delivering thousands of cubic meters of clean air every hour, all workday long.
- A pre-filter made of pleated polyester catches the larger dust fractions before the air enters the individually tested HEPA filter ensuring 99.99% efficiency at 0.3 microns.



	A 1200	A 600
Item No.	967818201	967818101
List price	\$1,100.00	\$790.00

Technical specifications

Power, HP (kW)	.50 (.37)	.25 (.19)
Voltage, V	120	120
Max rated current, A	2.8	2.1
Power Supply	1-phase	1-phase
Airflow, CFM	600/1200	300/600
Dimensions (LxWxH), in (mm)	28.5 x 16.7 x 31.9 (724 x 424 x 810)	18.3 x 15.1 x 18.3 (465 x 384 x 465)
Weight, lbs (kg)	80 (36)	41 (19)

A-Line Parts and Accessories

			A 1200	A 600
Cover, transport	590429502	\$49.80	x	
Filter, HEPA	590460801	173.00		x
Filter, HEPA	590427701	295.00	x	
Pre-Filter, (12 x 12 x 1) 20 pk	590430001	86.00		x
Pre-Filter, (24 x 24 x 1) 20 pk	590430002	210.00	x	
Pre-filter cover	591969101	24.90		x
Hose Adaptor, 12", 14", 16"	590437801	75.00	x	
Hose, 8"/10" jw 12" adaptor	590437901	45.00		x

Cubic Feet Calculator

Room Dimensions

HEIGHT x WIDTH x LENGTH			CF TOTAL
10 x 15 x 37			5,550
	CFM	CF/Hour	
A 600	600	36,000	
A 1200	1,200	72,000	
ROOM SIZE	CF/HOUR	TURNS/HR	
5,550	36,000	6.49	

DUST HOODS, BOOTS, BUGS AND SHROUDS For Hand-Held Grinders, Drills and Hammers

DUST SHROUDS

HAND GRINDERS

- Perfect for renovation contractors to masons.
- Deluxe shrouds feature a flip-up section for tight spaces and wall work, vent hole for airflow adjustment, replaceable wear pads on bottom to extend life and keep suction as well as swivel vacuum port so hose doesn't kink.



Deluxe 5" dust shroud



Deluxe 7" dust shroud



Standard 5" dust shroud



Standard 7" dust shroud

Name	Applicable Equipment	Recommended Vacuum	Item No.	List Price
Deluxe 5" Dust Shroud	5" Grinders	S 13 or larger	590652301	\$199.00
Deluxe 7" Dust Shroud	7" Grinders	S 26 or larger	590652302	189.00
Standard 5" Dust Shroud	5" Grinders	S 13 or larger	591267201	90.80
Standard 7" Dust Shroud	7" Grinders	S 26 or larger	592034101	111.20

DUST HOODS

ANGLE GRINDERS

- Most commonly used in masonry and concrete industries from tuck pointing to crack chasing.
- The aerodynamic, ergonomic shape allows full visibility when cutting.
- Unique and patented design for maximum particle capture up to 98%.
- Easy-to-remove cover to change blades.
- Connection collars sold separately.



Dust hood for 4"-5" grinders



Dust hood for 7"-9" grinders

Name	Applicable Equipment	Recommended Vacuum	Item No.	List Price
Dust Hood	4-5" Grinders	S 13 or larger	590651801	\$129.00
Dust Hood	7-9" Grinders	S 26 or larger	590651802	159.00

DUST BOOT

DRILLS AND HAMMERS

- Flexible tip enables operators to get close to the work area.
- Swivel hose end.
- Two hose lengths supplied.



Dust boot

Name	Applicable Equipment	Recommended Vacuum	Item No.	List Price
Dust Boot	Drill/Hammers	S 13 or larger	590651901	\$162.20

DUST BUGS

DRILLS

- Help collect dust from drilling applications.
- Plastic shield can be used with wet applications, replacing the brushes on the hoods.



Dust Bug 90



Dust Bug 180

Name	Applicable Equipment	Recommended Vacuum	Item No.	List Price
Dust Bug 90	Drilling up to 3 1/4"	S 13 or larger	590652001	\$99.00
Dust Bug 180	Drilling up to 6 3/4"	S 13 or larger	590652002	166.00

SOFF-CUT®

DUST SHEILDS

SOFF-CUT ULTRA EARLY ENTRY SAW

- Capture dust at the source to help reduce exposure for operators and the surrounding area.



Dust Shield 2" outlet



Dust Shield 3" outlet

Name	Applicable Equipment	Recommended Vacuum	Item No.	List Price
Shield, 2" outlet	Soff-Cut 150/150D	Soff-Cut 1000 gas, T 4000 propane, S 36 gas, S 26 electric or larger	589949001	\$275.00
Shield, 3" outlet	Soff-Cut 2000	Soff-Cut 1000 Gas T 8600 Propane, T 7500 Electric or larger	505494003	620.00
	Soff-Cut 2500		505494004	476.00
	Soff-Cut 4000		505494005	837.00
	Soff-Cut 4200		505494006	700.00
	Soff-Cut 5000		505494007	700.00

Pullman Holt HEPA Drum Vacuum

Applications

- 102 Big Red vacuum has plenty of capacity for big jobs.

Benefits

- The 102 Big Red handles 7.2 bushels of dry capacity and 55 gal in wet recovery.
- "Never clog" filter bag.



102 BIG RED	
Item No.	967792401*
List price	\$1,490.00
BUILD YOUR OWN 102 BIG RED:	
Item No. (motor head)	591218901
List price	\$535.00
Item No. (55 gal drum)	59139750
List price	\$234.85
Item No. (drum adapter with tools)	591218801
List Price	\$520.00
Item No. (drum HEPA adapter with tools)	591221101
List Price	\$685.00
Item No. (55 gal drum dolly)	591385601
List Price	\$123.40

Technical specifications

Power, HP (kW)	2 (1.49)
Voltage, V	110
Max rated current, A	11.1
Power Supply	1-phase
Airflow, CFM	110
Vac water lift, in	10.5
Dimensions crated (LxWxH), in (mm)	28 x 28 x 44 (711 x 711 x 1118)
Weight, lbs (kg)	150 (68)

* Includes spacer, float, wet pan, squeegee tool, wand hose, floor tool brush, and crevice tool.

Pullman Holt HEPA Dry Vacuums

Applications

- 102 Dry is the workhorse for the abatement, remediation and restoration industries.
- 86 Dry is rugged enough to handle tough jobs in tight, congested areas.
- Dry vacuum models can be used as a wet vacuum with a wet upgrade kit (sold separately).

Benefits

- Filter in the 102 and 86 is made from a single piece of high-grade HEPA media to eliminate the possibility of leaks.
- "Never clog" filter bag.



	102 DRY	45 DRY	86 DRY
Item No.	967792201*	967850801*	967792301*
List price	\$1,040.00	\$510.00	\$780.00
UPGRADE DRY VACUUM TO A WET VACUUM:			
Item No. (wet upgrade kit)	590945701**		590945801**
List price	\$190.75		\$275.40

Technical specifications

Power, HP (kW)	2 (1.49)	2 (1.49)	1 (.75)
Voltage, V	110	110	110
Max rated current, A	11.1	11.1	7.2
Power Supply	1-phase	1-phase	1-phase
Airflow, CFM	110	110	96
Vac water lift, in	10.5	10.5	85
Dimensions crated (LxWxH), in (mm)	22 x 23 x 36 (559 x 584 x 914)	16 x 16 x 28 (406 x 406 x 711)	18 x 18 x 28 (457 x 457 x 711)
Weight, lbs (kg)	68 (31)	38 (17)	42 (19)

* All dry models come with wand, hose, floor tool brush, dusting brush, crevice tool and paper filter bag.

** Wet upgrade kits include spacer, float, wet pan and squeegee floor tool.

Pullman Holt Wet Vacuums

Applications

- Available in dry only models, but it can be upgraded to a wet/dry vacuum front with squeegee. (sold separately).

Benefits

- 2 HP motor exceeds airflow and pick-up.
- Compact, low center of gravity ensures no tipping, easy handling, transporting and storage.
- Low noise allows for use in sound sensitive public areas such as schools and hospitals.



	45-20P WET	45-20P0V
Item No.	593032301**	591208501*
List price	\$699.00	\$905.00
UPGRADE TO A WET SQUEEGEE VACUUM:		
Item No. (front squeegee kit)	593034701	593034701
List price	\$299.00	\$299.00

Technical specifications

Power, HP (kW)	2 (1.49)	2 (1.49)
Voltage, V	110	110
Max rated current, A	11.1	11.1
Power Supply	1-phase	1-phase
Airflow, CFM	110	110
Vac water lift, in	10.5	10.5
Dimensions crated (LxWxH), in (mm)	41 x 22 x 24 (1041 x 559 x 610)	41 x 22 x 24 (1041 x 559 x 610)
Weight, lbs (kg)	67 (30)	67 (30)

* Includes hose and discharge hose.

** Includes wand, hose, floor tool brush, dusting brush, crevice tool, and paper filter bag.

Pullman Holt Canister Dry Vacuums

Applications

- Professional dry cleaning applications

Benefits

- Low profile makes it extremely maneuverable and easy to use.
- Individually tested and certified HEPA filter



	EURO 930	390
Item No. (canister)	591259901	591220801
List price	\$465.00	\$380.00
POWER HEAD:		
Item No. (390 electric power head)		591212301
List price		\$142.85
Item No. (390 air power head)		591208101
List price		\$159.10

Technical specifications

Power, HP (kW)	1.5 (1.1)	1.5 (1.1)
Voltage, V	110	110
Power Supply	1-phase	1-phase
Airflow, CFM	100	100
Vac water lift, in	97	97
Dimensions (LxWxH), in (mm)	21 x 17 x 18 (533 x 432 x 457)	21 x 17 x 18 (533 x 432 x 457)
Weight, lbs (kg)	18 (8)	18 (8)

Pullman Holt Tool Trigger HEPA Vacuums

Applications

- Restoration, abatement, silica dust (construction)
- Used with hand grinders (up to 5"), drills, wet saws, hand tools, etc.

Benefits

- The vacuum is turned on and off with use of the power tool attached.
- The 7-second delay in shut off ensures all dust is emptied from the hose.
- Variable speed allows operator to adjust amperage and suction power according to circuit breaker capacity.
- Automatic filter shaking. A sensor indicates if a filter is clogged and starts shaking the filter immediately after the vacuum is shut off.



	S 50	S 25
Item No.	967719901*	967751901*
List price	\$765.00	\$655.00

Technical specifications

Power, HP (kW)	1.7 (1.3)	1.7 (1.3)
Voltage, V	110	110
Max rated current, A	9.8	9.8
Power Supply	1-phase	1-phase
Airflow, CFM	129	129
Dimensions (LxWxH), in (mm)	31 x 19 x 28 (787 x 483 x 711)	25 x 16 x 24 (635 x 406 x 610)
Weight, lbs (kg)	55 (25)	39 (18)

* Includes wand, hose, floor tool brush, dusting brush, crevice tool, paper filter bag, and squeegee tool.

Pullman Holt Dry Vacuum Parts and Accessories

			102 Big Red	102	86	45-20P 45-20POV	45
Brush, dust aluminum 3"	592640001	\$51.30	x				
Brush, floor aluminum 14"	592639701	62.80	x				
Brush tool, 14" floor	591158501	10.75		x	x	x	x
Crevice tool, aluminum	592639601	24.60	x				
Crevice tool, 17"	591158401	4.70		x	x	x	x
Connectory, Y-plastic 2 x 1.5 x 1.5	591289301	15.70				x	x
Dusting brush, 3" round	591158601	10.30		x	x	x	x
Filter, outer HEPA 14"	591069101	5.20			x		
Filter bags, disposable paper (5 pk)	592924001	12.10			x		x
Filter bags, disposable paper (5 pk)	592924101	20.50		x			
Filter bag, never clog Dacron 1/ea	590954401	20.15		x	x		x
HEPA filter, 16"	591218601	362.10	x	x			
HEPA filter complete assembly, 14"	591223501	295.80			x		
HEPA filter assembly with gasket, 13"	591216101	221.35					x
Hose assembly 1.5 x 20'	591208601	64.20				x	
Hose, 10' x 1.5" crush proof	590947301	47.30	x	x	x		
Hose, ends 10' x 1.5"	591216201	32.15				x	x
Metal wand, 5" two-piece	591162901	27.85	x	x	x	x	x
Non-woven bag, 1/ea optional	592948001	4.55			x		x
Poly bag, disposable 6 ml 30 x 37-Asbest	591213301	3.40		x	x		
Pre-filter	590950501	11.85		x			
Pre-filter, HEPA 7.5" x 7.5"	591069001	1.40			x		
Pre-filter, polyester 1/ea	590950301	5.35		x			
Squeegee tool, 14" floor	591160801	13.00		x	x	x	
Squeegee tool, floor aluminum	592639901	80.30	x				
Tool kit	591219101	129.90				x	
Tool kit, wet/dry	591219901	133.65			x		
Tool kit, dry	591220201	125.50		x	x		
Tool kit, dry	591219801	125.50					x
Wet adaptor kit	590945701	190.75	x				
Wet pickup adapter	590946701	187.25			x		
Wet pick-up adapter, 16"	591315601	94.15	x	x			



Tool kit



HEPA filter 16"



Wet pick up adaptor



Dacron "never clog" filter bag



Metal wand, 5" two-piece



Crevice tool 17"



Pre-filter



Hose 10 x 1.5 crush proof

Canister Dry Vacuum Parts and Accessories

			EURO 930	390
Brush, multi-function bristle	591262301	\$11.25	x	
Crevice tool, 9" X 1.25"	591277701	1.40	x	x
Dusting brush, 1.25" 2000GH46	591210901	2.50	x	x
Filter, motor inlet	591210801	1.65		x
Filter, paper bag (5 pk)	591214201	8.70	x	x
Floor tool, ergo slide 1.25"	591211301	16.60		x
HEPA filter	591210501	108.15		x
HEPA filter	591217401	108.15	x	
Hose assembly, 1.25" x 6"	591211001	20.70		x
Hose, flexible Hose	591262501	36.75	x	
Sponge, motor	591261001	1.65	x	
Tool kit	591220901	72.45		x
Uphostery tool, 1.25"	591211401	3.65	x	x
Wand, telescopic 37" x 1.25"	591208301	13.20		x
Wand, telescopic	591262401	12.15	x	



Tool kit



Hose assembly, 1.25" x 6"



HEPA filter



Upholstery tool

Tool Trigger HEPA Vacumms Parts and

			S 50	S 25
Bag, high filtration (5 pk)	592003901	\$43.20	x	x
Crevice Tool, .9"	591990201	11.40	x	x
Floor tool, 1.4" x 14.4"	591990301	61.80	x	x
HEPA filter, 2/set	591924001	245.85	x	x
Hose, 1.4" x 16'	591990101	128.00	x	x
Wand, 3-piece steel 1.4"	593040001	104.80	x	x
Y connection set, 1.4"-2x1.4"	591990401	154.45	x	x



Bag, high filtration



HEPA filter, 2/set



Y connection set. 1.4"-2x1.4"



PULLMAN ERMATOR / PULLMAN HOLT

www.ermatorusa.com